

L Number	Hits	Search Text	DB	Time stamp
-	37668	connection near2 open\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:26
-	1267	(connection near2 open\$6) and connection near2 open\$6 SAME request\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:26
-	5315	(connection near2 open\$6) and open adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:27
-	212	((connection near2 open\$6) and open adj connection) and open adj connection with (select\$4 or assign\$4 or grant\$6 or designat\$4 or allocat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:28
-	7	((connection near2 open\$6) and open adj connection) and open adj connection with (select\$4 or assign\$4 or grant\$6 or designat\$4 or allocat\$5)) and idle adj2 state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:30
-	1	((connection near2 open\$6) and open adj connection) and open adj connection with (select\$4 or assign\$4 or grant\$6 or designat\$4 or allocat\$5)) and air adj link adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:30
-	4	(connection near2 open\$6) and air adj link adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:33
-	8	(connection near2 open\$6) and access ADJ channel with mac	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:34
-	107	access ADJ channel with mac	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/05 14:34
-	6	air ADJ link adj management adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:36
-	5	wireless adj2 management adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:39
-	6490	wireless and access adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:40
-	1100	(wireless and access adj network) and access adj (terminal or unit or device station)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:40
-	1836	(wireless and access adj network) and access adj2 (terminal or unit or device station)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:43
-	77	((wireless and access adj network) and access adj2 (terminal or unit or device station)) and (overload\$4 or congest\$4) near2 (state or level or condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:43
-	81	((wireless and access adj network) and access adj2 (terminal or unit or device station)) and (overload\$4 or congest\$4) near2 (state or level or condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:44
-	75	((wireless and access adj network) and access adj2 (terminal or unit or device station)) and (overload\$4 or congest\$4) near2 (state or level or condition)) and resource	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:44

	27	((wireless and access adj network) and access adj2 (terminal or unit or device station)) and (overload\$4 or congest\$4) near2 (state or level or condition)) and available adj2 (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:44
	7	((wireless and access adj network) and access adj2 (terminal or unit or device station)) and (overload\$4 or congest\$4) near2 (state or level or condition)) and available adj2 (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 10:47
	11504	SAME (congest\$4 or overload\$5) connection adj2 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 11:28
	99	(connection adj2 layer) and mac adj2 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 11:29
	25	(wireless and access adj network) and stream adj2 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 11:29
	7	((connection adj2 layer) and mac adj2 layer) and stream adj2 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 13:22
	22	uati	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 14:52
	1069	unicast adj access terminal adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 14:54
	18	unicast adj access ADJ terminal adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 14:55
	0	(unicast adj access ADJ terminal adj identifier) not uati	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 15:55
	20	idle adj state adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 15:56
	17	(idle adj state adj protocol) not uati	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 15:56
	2	((idle adj state adj protocol) not uati) and access adj2 network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:22
	0	traffic-channel-assignment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:24
	251	traffic ADJ channel ADJ assignment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:23
	0	traffic-channel-complete	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:24
	6	traffic ADJ channel ADJ complete	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:24

-	16	traffic ADJ2 channel ADJ2 complete	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:24
-	2	(traffic ADJ channel ADJ assignment) and (traffic ADJ2 channel ADJ2 complete)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/12 16:28
-	35401	connection with request\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:41
-	907	(connection with request\$5) and available WITH connection WITH select\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:42
-	6	idle adj2 open adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:45
-	332	releas\$4 same open adj2 connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:44
-	260	releas\$4 WITH open adj2 connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:44
-	18	(releas\$4 WITH open adj2 connection) and allocat\$4 with releas\$4 WITH open adj2 connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:51
-	18	(releas\$4 WITH open adj2 connection) and allocat\$4 with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:50
-	1	((releas\$4 WITH open adj2 connection) and allocat\$4 with (resource or bandwidth)) not ((releas\$4 WITH open adj2 connection) and allocat\$4 with releas\$4 WITH open adj2 connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:51
-	453	allocat\$4 with overload\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:51
-	55	(allocat\$4 with overload\$5) and releas\$4 WITH connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:51
-	41	((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:52
-	41	((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:52
-	41	((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:53
-	36	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:53
-	36	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and open with connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:54

	1	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and open adj2 connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:53
	1	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and detect\$4 with connection WITH request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:54
	41	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and connection WITH request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 09:55
	585	((((allocat\$4 with overload\$5) and releas\$4 WITH connection) and access adj network) and allocat\$5 with (resource or bandwidth) SAME overload\$4) and overload and allocat\$4.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:02
	19	(overload and allocat\$4.ab.) and releas\$6.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:50
	430	idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:52
	14	(idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6) ) and request\$ near connection same idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:52
	16	(idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6) ) and request\$ near2 connection same idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:54
	4	((idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6) ) and request\$ near2 connection same idle adj2 (connection or channel or bandwidth or resource) near2 (allocat\$4 or assign\$6 or designat\$6) ) and releas\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/14 11:55
	3043	resource adj manager	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:09
	10	(resource adj manager) and connection adj controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:14
	8	((resource adj manager) and connection adj controller) and request\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:09
	2	((resource adj manager) and connection adj controller) not ((resource adj manager) and connection adj controller) and request\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:17
	368	channel adj manager	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:18
	2	(channel adj manager) and connection ADJ controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:18

-	0	idle ADJ open adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:51
-	3	idle ADJ open adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:51
-	0	buzy ADJ open adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:52
-	4	busy ADJ open adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 11:52
-	5	idle ADJ open adj state) (busy ADJ open adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 12:17
-	156	reverse adj link with monitor\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 18:07
-	187	idle adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 18:07
-	28	(idle adj connection) and idle adj connection with (clos\$5 or select\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 18:08
-	8	((idle adj connection) and idle adj connection with (clos\$5 or select\$5)) and idle adj connection with (clos\$5 or select\$5) SAME request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/15 18:08